



# Davlin Coatings Silicone Roof Systems Warranty

## 20 Year system

Roof Type	Foundation				Base Coat			Top Coat			
Roof Type	Reinforcement	Coating	Min. Dry Mils.	Approx Gallons per 100 sq/ft.	Coating	Minimum Dry Mils.	Approximate Gallons per 100 sq/ft.	Coating	Minimum Dry Mils.	Approximate Gallons per 100 sq/ft.	Minimum Total System Thickness
BUR Smooth	RoofSeal Fabric Embedded in Roofseal Silicone	Silicone	22.5	1.5	Silicone	15	1	Silicone	22.5	2	67.5
BUR Granulated	RoofSeal Fabric Embedded in Roofseal Silicone	Silicone	22.5	1.5	Silicone	15	1	Silicone	22.5	2	67.5
Metal	Joint/Flashing/Fastener Tape	Silicone	22.5	1.5	Silicone	15	1	Silicone	22.5	2	67.5
FAR Recoat	RoofSeal Fabric Embedded in Roofseal Silicone	Silicone	22.5	1.5	Silicone	15	1	Silicone	22.5	2	67.5
Foam insulation	RoofSeal Fabric Embedded in Roofseal Silicone	Silicone	22.5	1.5	Silicone	15	1	Silicone	22.5	2	67.5
Single Ply	RoofSeal Fabric Embedded in Roofseal Silicone	Silicone	22.5	1.5	Silicone	15	1	Silicone	22.5	2	67.5

20 Year Warranty Fee: \$.10 per square foot, Minimum Fee \$1,000

## 15 Year system

Roof Type	Foundation				Base Coat			Top Coat			
Roof Type	Reinforcement	Coating	Min. Dry Mils.	Approx Gallons per 100 sq/ft.	Coating	Minimum Dry Mils.	Approximate Gallons per 100 sq/ft.	Coating	Minimum Dry Mils.	Approximate Gallons per 100 sq/ft.	Minimum Total System Thickness
BUR Smooth	RoofSeal Fabric Embedded in Roofseal Silicone	Silicone	22.5	1.5	Silicone	15	1	Silicone	15	1	52.5
BUR Granulated	RoofSeal Fabric Embedded in Roofseal Silicone	Silicone	22.5	1.5	Silicone	15	1	Silicone	15	1	52.5
Metal	Joint/Flashing/Fastener Tape	Silicone	22.5	1.5	Silicone	15	1	Silicone	15	1	52.5
FAR Recoat	RoofSeal Fabric Embedded in Roofseal Silicone	Silicone	22.5	1.5	Silicone	15	1	Silicone	15	1	52.5
Foam insulation	RoofSeal Fabric Embedded in Roofseal Silicone	Silicone	22.5	1.5	Silicone	15	1	Silicone	15	1	52.5
Single Ply	RoofSeal Fabric Embedded in Roofseal Silicone	Silicone	22.5	1.5	Silicone	15	1	Silicone	15	1	52.5

15 Year Warranty Fee: \$.075 per square foot, Minimum Fee \$750

## 10 Year system

Roof Type	Foundation				Base Coat			Top Coat			
Roof Type	Reinforcement	Coating	Min. Dry Mils.	Approx Gallons per 100 sq/ft.	Coating	Minimum Dry Mils.	Approximate Gallons per 100 sq/ft.	Coating	Minimum Dry Mils.	Approximate Gallons per 100 sq/ft.	Minimum Total System Thickness
BUR Smooth					Silicone	15	1	Silicone	22.5	1.5	37.5
BUR Granulated					Silicone	15	1	Silicone	22.5	1.5	37.5
Metal	Joint/Flashing/Fastener Tape				Silicone	15	1	Silicone	22.5	1.5	37.5
FAR Recoat					Silicone	15	1	Silicone	22.5	1.5	37.5
Foam insulation					Silicone	15	1	Silicone	22.5	1.5	37.5
Single Ply					Silicone	15	1	Silicone	22.5	1.5	37.5

10 Year Warranty Fee: \$.05 per square foot, Minimum Fee \$500