

MATERIAL SAFETY DATA SHEET

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives



1. PRODUCT IDENTIFICATION

TRADE NAME (AS LABELED): KRUD KUTTER® RUSTEX
SYNONYMS: Not Applicable
CHEMICAL SHIPPING NAME/CLASS: LIMITED QUANTITY (See Section 14 for Details)
U.N. NUMBER: UN 1805 (Packages over 5.0 Liters, 1.3 gallons)
MANUFACTURER'S NAME: Krud Kutter, Inc. (Formerly Supreme Chemicals of Georgia, Inc.)
ADDRESS: 1535 Oak Industrial Lane, Suite B, Cumming, GA 30041 USA
EMERGENCY PHONE: (800) 424-9300 (CHEMTREC - US)
(703) 527-3887 (Outside USA)
BUSINESS PHONE: (800) 466-7126
DATE OF PREPARATION: April 4, 2011
DATE OF REVISION: January 2, 2013

2. HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: Danger!

Product Description: This product is a green liquid with a slight odor.

Health Hazards: May cause eye and skin burns and/or irritation. Mist or vapor cause irritation to the respiratory tract.

Flammability Hazards: Non-Flammable

Reactivity Hazards: This product is not reactive.

Environmental Hazards: Release of this product may cause significant adverse effects to the aquatic environment.

Emergency Recommendations: Emergency responders must have personal protective equipment and fire protection appropriate for the situation to which they are responding.

EU LABELING AND CLASSIFICATION: This product meets the definition of a hazardous substance or preparation according to EU Regulations (EC) No 1272/2008.

INDEX NUMBER:

EC# 231-633-2 Annex I – Index# 015-011-00-6


GHS CLASSIFICATIONS:

Skin Corrosive Category 1B

SIGNAL WORD : Danger!



HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
HEALTH HAZARD (BLUE)		3	
FLAMMABILITY HAZARD (RED)		0	
REACTIVITY (YELLOW)		0	
PROTECTIVE EQUIPMENT			
EYES	RESPIRATORY	HANDS	BODY
	SEE SECTION 8		SEE SECTION 8
For Routine Industrial Use and Handling Applications			



HAZARD STATEMENT:

H314 Causes severe skin burns and eye damage

Scale: 0 = Minimal 1 = Slight 2 = Moderate
3 = Serious 4 = Severe * = Chronic hazard

PREVENTION STATEMENT :

P260 Do not breathe dust/fume/gas/mist/vapor/ spray
P264 Wash hands thoroughly after handling
P271 Use in well ventilated areas
P280 Wear protective gloves/protective clothing/eye protection/ face protection

MATERIAL SAFETY DATA SHEET

RESPONSE STATEMENT:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 IF IN EYES : Rinse cautiously with water for several minutes
P333 + P313 IF skin irritation or rash occurs : Get medical advice/attention

HEALTH EFFECTS OR RISKS FROM EXPOSURE:

ACUTE:

INHALATION: Mist or vapor causes irritation to the respiratory tract. Exposure may cause coughing, wheezing and respiratory irritation.

SKIN: Causes skin irritation. Exposure can cause redness, itching and inflammation.

EYES: Causes eye irritation. Exposure may cause tearing, redness and discomfort.

INGESTION: Not expected to be an ingestion hazard for intended use. Exposure may cause gastrointestinal burns, nausea, vomiting, diarrhea and other systemic effects.

CHRONIC: None known

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS#	EINECS #	Hazard Classification	Risk Phrases
Phosphoric Acid	45%	7664-38-2	231-633-2	[C] Corrosive	R34
Balance of other ingredients is less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).					None

NOTE: ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2004 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250: 2000.

4. FIRST-AID MEASURES

SKIN EXPOSURE: If this product contaminates the skin, begin decontamination with running water. Minimum flushing is for 5 minutes. Remove exposed or contaminated clothing, taking care not to contaminate eyes. The contaminated individual should seek medical attention if any adverse effect occurs.

EYE EXPOSURE: If this product enter the eyes, open contaminated individual's eyes while under gently running water. Use sufficient force to open eyelids. Remove contact lenses if worn. Have contaminated individual "roll" eyes. Minimum flushing is for 15 minutes. Contaminated individual must seek medical attention if irritation develops or persists or if visual changes occur.

INHALATION: If vapors/mists generated by this product are inhaled, or individual has difficulty breathing remove contaminated individual to fresh air. If necessary, use artificial respiration to support vital functions. **SEEK IMMEDIATE MEDICAL ATTENTION.**

INGESTION: If this product is swallowed, CALL PHYSICIAN OR POISON CONTROL CENTER FOR MOST CURRENT INFORMATION. DO NOT induce vomiting; if vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or unable to swallow. **SEEK IMMEDIATE MEDICAL ATTENTION.**

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Individuals with pre-existing skin may be more susceptible to effects of this material.

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and eliminate overexposure.

5. FIRE-FIGHTING MEASURES

FLASH POINT: Not Applicable

AUTOIGNITION TEMPERATURE: Not Applicable

FLAMMABLE LIMITS (in air by volume, %): Lower NA Upper NA

FIRE EXTINGUISHING MATERIALS: Use fire extinguishing methods listed below:

Water Spray: Yes

Carbon Dioxide: Yes

Foam: Yes

Dry Chemical: Yes

Halon: Yes

Other: Any "C" Class

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known

MATERIAL SAFETY DATA SHEET

Explosion Sensitivity to Mechanical Impact: No

Explosion Sensitivity to Static Discharge: No

SPECIAL FIRE-FIGHTING PROCEDURES: Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

6. ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Evacuate unprotected personnel from the area. Maintain adequate ventilation. Follow personal protective equipment recommendations found in section 8. Contain and recover if possible. Use non-sparking tools and equipment. Cover or absorb spilled liquid with sand, earth or other inert material. Clean up spill immediately and place in appropriate containers. Do not discharge to sewers and surface waters. Notify authorities if entry occurs. U.S. Regulations (CERCLA) requires reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

7. HANDLING and STORAGE

WORK PRACTICES AND HYGIENE PRACTICES: As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing vapors/mists/dusts generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.

STORAGE AND HANDLING PRACTICES: Protect against physical damage. Store in a cool, dry well-ventilated location. Keep containers tightly closed. Keep out of the reach of children. Observe all warnings and precautions listed for the product.

8. EXPOSURE CONTROLS - PERSONAL PROTECTION

Chemical Name	CAS#	ACGIH TLV	OSHA TWA
Phosphoric Acid	7664-38-2	1 mg/m ³	1 mg/m ³

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided below. Use a chemical fume hood or local exhaust ventilation, and process enclosure if necessary, to control airborne dust. Ensure eyewash/safety shower stations are available near areas where this product is used.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Use chemical safety goggles and/or a full face shield where dusting or splashing is possible. Maintain eye wash fountain and quick-drench facilities in work area. Contact lenses pose a special hazard; Do not wear contact lenses.

If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

HAND PROTECTION: Use chemically-resistant gloves when handling this product. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

BODY PROTECTION: Use body protection appropriate for task (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a

MATERIAL SAFETY DATA SHEET

hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

9. PHYSICAL and CHEMICAL PROPERTIES

VAPOR DENSITY: 3.2

% VOLATILE: 2%

SOLUBILITY IN WATER: Complete

VAPOR PRESSURE: 17 mm Hg @ 20°C (68°F)

ODOR: Bland Odor

APPEARANCE and COLOR: This product is a green liquid with a slight odor.

EVAPORATION RATE (n-BuAc=1): <1

MELTING/FREEZING POINT: <-1.1°C (30°F)

BOILING POINT: 100°C (212°F)

pH: 1.0 – 2.0

SPECIFIC GRAVITY: 1.30

10. STABILITY and REACTIVITY

STABILITY: Stable under conditions of normal storage and use.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition produces carbon oxides and phosphorous oxides.

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: Strong oxidizing agents, alkalis.

POSSIBILITY OF HAZARDOUS REACTIONS: Will not occur.

CONDITIONS TO AVOID: Incompatible materials.

11. TOXICOLOGICAL INFORMATION

TOXICITY DATA:

No Data Available for this product.

CARCINOGENS

None of the components of this product are listed as a carcinogen or suspected carcinogen or is considered a reproductive hazard.

12. ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

ENVIRONMENTAL STABILITY: No data are available on the adverse effects of this material on the environment. This product is biodegradable. None of the ingredients in this mixture are classified as a Marine Pollutant.

CHEMICAL EFFECT ON PLANTS, ANIMALS AND AQUATIC LIFE: No Data Available

13. DISPOSAL CONSIDERATIONS

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

14. TRANSPORTATION INFORMATION

US DOT, IATA, IMO, ADR:

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS: This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

DOT GROUND: LIMITED QUANTITY

Proper Shipping Name: LIMITED QUANTITY

Packaging Requirements: Inner packagings not over 5.0 Liters (1.3 Gallons) net capacity each for liquids, and packed in strong outer packagings.

MATERIAL SAFETY DATA SHEET

PACKAGES OVER 5.0 LITERS (1.3 GALLONS)

PROPER SHIPPING NAME: PHOSPHORIC ACID SOLUTION
HAZARD CLASS NUMBER and DESCRIPTION: Class 8 Corrosive
UN IDENTIFICATION NUMBER: UN 1805
PACKING GROUP: III
DOT LABEL(S) REQUIRED: Class 8 Corrosive
NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER: 154
RQ QUANTITY: NA
MARINE POLLUTANT: The components of this product are designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA): This product is considered as dangerous goods.

For Limited Quantities of liquids of Class 8 Packing Group III:
Passenger & Cargo Aircraft Packing Instructions: Y819
Passenger & Cargo Aircraft Limited Quantity Maximum Quantity Package: 1 Liter
Passenger & Cargo Aircraft Packing Instructions: 819
Passenger & Cargo Aircraft Maximum Quantity/Package: 5 Liters
Cargo Aircraft Only Package Instruction: 821
Cargo Aircraft Only Maximum Quantity/Package: 60 Liters

INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO): This product is considered as dangerous goods.

Limited Quantities Exception: Dangerous Goods in limited quantities of Class 8.
Limited quantities must be packed in combination packaging. The inner packaging must be within the quantity limit specified in the Dangerous Goods List (DGL) for the substance being prepared for shipment and be packaged in suitable outer packaging (i.e. UN certified box). The gross mass of the package must not exceed 30 kilograms (66 pounds).

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): This product is considered by the United Nations Economic Commission for Europe to be dangerous goods.

15. REGULATORY INFORMATION

UNITED STATES REGULATIONS:

U.S. SARA REPORTING REQUIREMENTS: The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

Section 313 Toxic Release Inventory (40 CFR 372): None

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): CAS# 7664-38-2 5,000 Lbs.

U.S. TSCA INVENTORY STATUS: The components of this product are listed on the TSCA Inventory or are exempted from listing.

OTHER U.S. FEDERAL REGULATIONS: None

STATE REGULATIONS:

STATE RIGHT TO KNOW LISTS:

CAS# 7664-38-2 can be found on the following state right to know lists: California, New Jersey, Pennsylvania, Minnesota, Massachusetts.

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): Ingredients within this product are not on the Proposition 65 Lists.

CANADIAN REGULATIONS:

CANADIAN DSL/NDL INVENTORY STATUS: The components of this product are on the DSL Inventory, or are exempted from listing.

OTHER CANADIAN REGULATIONS: Not applicable.

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: Class D2B, Class E

MATERIAL SAFETY DATA SHEET



EUROPEAN ECONOMIC COMMUNITY INFORMATION:

EU LABELING AND CLASSIFICATION: This product meets the definition of the following hazard class as defined by the European Economic Community Guidelines.

EU CLASSIFICATION: [C] Corrosive

EU RISK PHRASES: R34: Causes burns; R36/37/38: Irritating to respiratory system, eyes and skin.

EU SAFETY PHRASES: S20/21: When using do not eat, drink or smoke; S24/25: Avoid contact with skin and eyes; S36/37: Wear suitable protective clothing and gloves; S39: Wear suitable eye/face protection.



AUSTRALIAN INFORMATION FOR PRODUCT: The components of this product are not listed on the International Chemical Inventory list.

JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

JAPANESE ENCS INVENTORY: The components of this product are on the ENCS Inventory as indicated in the section on International Chemical Inventories, below.

POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW: No component of this product is a listed Specified Poisonous Substance under the Poisonous and Deleterious Substances Control Law.

INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac: Not Listed
Australian Inventory of Chemical Substances (AICS): Listed
Korean Existing Chemicals List (ECL): Listed
Japanese Existing National Inventory of Chemical Substances (ENCS): Listed
Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed
Swiss Giftliste List of Toxic Substances: Listed
U.S. TSCA: Listed

16. OTHER INFORMATION

PREPARED BY: Paul Eigbrett – **(MSDS Authoring PLUS)**

DATE OF PRINTING: December 3, 2012

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. Krud Kutter, Inc. assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Krud Kutter, Inc. assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

END OF MSDS SHEET